

SUPPLEMENT TO



The Gazette of India

No. 32] NEW DELHI, SATURDAY, AUGUST 16, 1958/SAVANA 25, 1880

OFFICIAL PAPERS

Reported attacks and deaths from cholera, smallpox, plague and typhus in districts in India during the week ending the 19th July, 1958

	CHOLERA			SMALLPOX			PLAQUE			CHOLERA			SMALLPOX			PLAQUE		
	C.	D.	C.	D.	C.	D.	C.	D.	C.	D.	C.	D.	C.	D.	C.	D.	C.	D.
Andhra Pradesh																		
"N.R."																		
Assam																		
"N.R."																		
Bihar																		
Patna	1										
Gaya	.	.	43	26	5	2										
Shahabad	.	.	15	7	53	20	..											
Saran	.	.	5	3	6	3										
Darbhanga	36	8										
Bhagalpur	.	.	3	1										
Purnea	69	26										
Hazaribagh	.	.	5	5	2	2										
Ranchi	8	2										
Palamu	6	3										
Dhanbad	.	.	4	2	54	19										
Total	.	75	44	240	85											
Total for w/e 12-7-58	99	32	150	42												
Total for w/e 5-7-58	91	47	267	87												
Madhya Pradesh																		
"N.R."																		
Madras																		
Madras City																		
Chingleput																		
South Arcot																		
Tanjore																		
Madurai																		
Ramanathapuram																		
North Arcot																		
Salem																		
Coimbatore																		
The Nilgiris																		
Kanya Kumari																		
TOTAL																		
Total for w/e 12-7-58																		
Total for w/e 5-7-58																		
Manipur																		
Bombay																		
"N.R."																		
Delhi																		
"N.R."																		
Himachal Pradesh																		
"N.R."																		
Kerala																		
Trichur	1										
Malabar	17	2										
TOTAL	18	2										
Total for w/e 12-7-58	42	17												
Total for w/e 5-7-58	50	8												
Mysore																		
"N.R."																		
Orissa																		
Cuttak	1	25	1	
Balasore	10	1	
Puri	12	7	8	5	
Sambalpur	23	17	56	14	
Baudh	4	
Ganjam	53	32	61	29	

Explanation of Symbols used:—C. = Cases ; D. = Deaths; .. = Nil ; "N. R." = Information not received.

Reported attacks and deaths from cholera, smallpox, plague and typhus in districts in India during the week ending the 19th July, 1938—*contd.*

	CHOLERA						SMALLPOX						PLAQUE							CHOLERA						PLAQUE		
	C.	D.	C.	D.	C.	D.	C.	D.	C.	D.	C.	D.	C.	D.	C.	D.	C.	D.	C.	D.	C.	D.	C.	D.	C.	D.		
Orissa—contd.												Uttar Pradesh—contd.																
Koraput	61	20	Budaun	4		
Mayurbhanj	12	5	Deoria	25	10		
Dhenkanal	.	.	I	I	21	76	Etawah	8	I		
Keonjhar	5	Faizabad	43	23		
Bolangir Patna	.	I	I	67	37	Garhwal	I		
Sundergarh	23	I	Ghazipur	6		
Kalahandi	.	.	63	59	38	14	Gonda	9		
TOTAL	.	.	154	117	391	203	Gorakhpur	2	6		
Total for w/e 12-7-58	154	108	398	204	Hardoi	12	4		
Total for w/e 5-7-58	420	264	484	148	Hamirpur	2		
Pondicherry												Jhansi																
TOTAL	15	9	Jalaun	I	I	
Total for w/e 12-7-58	33	9	Jaunpur	13	8	
Total for w/e 5-7-58	6	5	Kanpur	5	2	
Pun												Kheri																
Karnal	I	Kheri	I	I	
Patiala	I	Lucknow	.	.	I	..	13	
TOTAL	I	I	Mirzapur	4	
Total for w/e 12-7-58	4	3	Mathura	4	
Total for w/e 5-7-58	4	I	Muzaffarnagar	I	2	
Rajasthan												Pratapgarh																
“N.R.”												Rampur																
Tripura												Sultanpur																
“N.R.”												Saharanpur																
Uttar Pradesh												Moradabad																
Agra	2	Sitapur	6	I	
Aligarh	2	Unnao	I	
Allahabad	11	5	Varanasi	14	4	
Almora	.	—	—	—	7	I	Nainital	I	
Azamgarh	25	15	TOTAL	.	.	I	..	274	107	
Basti	11	4	Total for w/e 12-7-58	I	265	98	
Ballia	I	I	Total for w/e 5-7-58	22	9	298	I59	
Bulandshahr	3	West Bengal														“N.R.”					
Barailly	2	“N.R.”																			
Riuror	11	2	Total for India (Excluding Andhra Pradesh, Assam, Bombay, Delhi, Himachal Pradesh, Madhya Pradesh, Mysore, Rajasthan, Tripura and West Bengal)														231	161	1172	477
Corresponding Total for w/e 12-7-58	254	I40	1139	460	Corresponding Total for w/e 5-7-58														533	320	I311	470

Explanation of Symbols used:—C=Cases; D=Deaths; . . . =Nil; "N.R."=Information not received.

Reported attacks and deaths from cholera, smallpox, plague and typhus in districts in India during the week ending the 19th July, 1958—*contd.*

	CHOLERA						SMALLPOX						PLAQUE							CHOLERA						SMALLPOX						PLAQUE					
	C.	D.	C.	D.	C.	D.	C.	D.	C.	D.	C.	D.	C.	D.	C.	D.	C.	D.	C.	C.	D.	C.	D.	C.	D.	C.	D.	C.	D.								
ARREAR INFORMATION												Andhra Pradesh—<i>contd.</i>																									
Andhra Pradesh																																					
<i>w/e 28-6-1958</i>																																					
Srikakulam	.	.	42	34	23	16	..	.	West Godavari	7	2								
Visakhapatnam	.	.	5	4	17	5	Krishna	.	..	16	11	4	1								
East Godavari	8	Guntur	21	6								
West Godavari	14	1	Nellore	8	2								
Krishna	.	.	22	10	27	5	Kurnool	47	20								
Guntur	70	20	Cuddapah	21	4								
Nellore	10	2	Anantapur	.	..	9	7	9									
Kurnool	35	16	Chittoor	16	1								
Cuddapah	20	3	Adilabad	.	..	2									
Anantapur	.	.	17	1	32	4	Medak	.	..	11	7									
Chittoor	3	Mahbubnagar	.	..	16	6									
Warangal	.	.	5	10	6	1	Hyderabad	.	..	6	..	5	3									
Karimnagar	.	.	7	3	8	2	TOTAL	.	..	99	48	175	50									
Nizamabad	.	.	5	2	Assam																												
Nalgonda	6	1	United Khasi and Jaintia Hills	4								
Mahbubnagar	.	.	12	3	Kamrup	3									
Hyderabad	.	10	5	4	TOTAL	7									
TOTAL	.	125	67	284	70	Bihar																												
<i>w/e 5-7-58</i>																																					
Srikakulam	.	.	3	4	29	8	Patna	.	..	13	..	16	5								
Visakhapatnam	.	11	7	9	4	Gaya	.	..	43	14	29	11								
East Godavari	.	4	3	2	1	Shahabad	.	..	35	33	101	39								
West Godavari	17	7	Darbhanga	47	14								
Krishna	.	21	9	48	7	Monghyr	15	5								
Guntur	21	1	Purnea	22	6								
Nellore	17	4	Hazaribagh	20	6								
Kurnool	40	14	Ranchi	7								
Cuddapah	22	7	Palamau	3								
Anantapur	.	.	7	5	49	11	Dhanbad	7	1								
Chittoor	11	1	TOTAL	.	..	91	47	267	87								
Adilabad	1	Bombay																												
Medak	.	.	56	21	Greater Bombay	36	9								
Hyderabad	.	.	8	..	12	5	Ahmedabad	1	1								
TOTAL	.	110	50	277	70	Panchmahals	7	3								
<i>w/e 12-7-58</i>																																					
Srikakulam	.	24	6	20	6	Surat	.	..	2	2	6								
Visakhapatnam	.	3	3	14	5	Ahmednagar	5								
East Godavari	.	12	8	3	Explanation of Symbols used :— C. = Cases; D. = Deaths; : = Nil.																												

Reported attacks and deaths from cholera, smallpox, plague and typhus in districts in India during the week ending the 19th July, 1958—*contd.*

	CHOLERA						SMALLPOX						PLAQUE							CHOLERA						SMALLPOX						PLAQUE												
	C.	D.	C.	D.	C.	D.	C.	D.	C.	D.	C.	D.	C.	D.	C.	D.	C.	D.	C.	C.	D.	C.	D.	C.	D.	C.	D.	C.	D.															
Bombay—<i>contd.</i>												Rajasthan—<i>contd.</i>																																
East Khandesh												w/e 5-7-58																																
Churu	Nagaur	7	1													
Kolaba	4	Bikaner	4	3												
Poona	4	Sikar	1												
Ratnagiri	—	3	1	Alwar	5	2												
Sholapur	6	1	Tonk	1	1												
West Khandesh	.	79	22	27	8	Kotah	6	2												
Amraoti	2	Bundi	3	1												
Bhandara	1	TOTAL	28	11												
Chanda	8	1	West Bengal																																
Nagpur	.	9	2	5	1	w/e 28-6-58																																
Aurangabad	.	1	1	Burdwan	.	.	.	II	7	83	46												
TOTAL	149	43	124	26	..	Birbhum	.	.	.	3	1	22	11																		
Orissa												Bankura	18	10												
w/e 14-6-58												Midnapur	.	.	.	9	2	32	23											
Balasore	8	3	Hooghly	.	.	.	3	4	5	2										
Puri	.	12	6	12	6	Howrah	.	.	.	71	14	10	9										
Sambalpur	.	41	13	116	34	24-Parganas	.	.	.	95	35	76	28										
Bandh	.	2	2	11	Calcutta	.	.	.	94	24	4	3										
Ganjam	.	42	25	101	31	Nadia	1												
Keraput	77	9	Murshidabad	1												
Mayurbhanj	22	7	West Dinajpur	45	25												
Dhenkanal	34	3	Malda	136	59												
Keonjhar	16	Cooch Behar	1												
Bolangir	Purulia	.	.	.	40	18	67	18										
Patna	.	16	12	81	21	TOTAL	.	.	.	326	105	499	236									
Sundargarh	.	8	3	60	15	For w/e 5-7-58																																
Kalahandi	.	106	28	99	31	Burdwan	.	.	.	9	5	75	31									
TOTAL	227	89	637	160	..	Bankura	.	.	.	5	2	26	13																
Rajasthan												Midnapur	.	.	.	9	7	22	10										
w/e 28-6-58												Hooghly	.	.	.	16	11	11	4										
Ajmer	1	Howrah	.	.	.	56	18	5	3								
Banswara	2	24-Parganas	.	.	.	117	52	58	17									
Bikaner	Calcutta	.	.	.	142	41	3	3									
Churu	2	Nadia	.	.	.	6	2	5	7									
Barmer	25	11	West Dinajpur	10	6									
Ganganager	4	Jalpaiguri	1								
Kotah	Malda	131	47							
TOTAL	35	12	TOTAL	.	.	.	364	140	369	148

Explanation of symbols used :—C=Cases ; D=Deaths; ..=Nil.

Reported attacks and deaths from cholera smallpox plague and typhus in districts in India during the week ending the 19th July, 1958—concl.

	CHOLERA				SMALLPOX				PLAQUE				CHOLERA				SMALLPOX			
	C.	D.	C.	D.	C.	D.	C.	D.	C.	D.	C.	D.	C.	D.	C.	D.	C.	D.	C.	D.
West Bengal—contd.																				
<i>w/e 12-7-58</i>																				
Burdwan	.	.	21	7	98	59	Purulia	.	.	.	9	3	15	12	..			
Birbhum	11	4		TOTAL			355	128	314	162				
Bankura	9	3												
Midnapur	.	.	16	4	20	7	..													
Hooghly	.	.	19	11	14	10	Place				F/e	Case	Deaths					
Howrah	.	.	80	25	8	4	Punjab				15-7-58	15	(Paretic)	..				
24-Parganas	.	.	69	29	23	19	..													
Calcutta.	.	.	139	47	2	3												
Nadia	.	.	2	2	5	2												
Murshidabad	5	2												
West Dinajpur	16	9												
Jalpaiguri	4												
Malda	84	29	..													

Explanation of Symbols used:—C = Cases ; D. = Deaths ; .. = Nil.

NEW DELHI-2 (INDIA);
The 11th August, 1958 }

H. R. SHARMA,
for Registrar General, India.

Births and deaths from principal diseases in towns with a population of 30,000 and over in India for the week ending the 19th July, 1958

Deaths from :—

Town	Mid-year Popn. Est (000)	Deaths from :—										Total	D.R*. I.D.		
		B.	BR.*	C.	S.	P.	F.	D.D.	R.D.	M.D.					
Andhra Pradesh															
Assam															
Bihar															
Arrah	.	74	16	11.2	..	6	..	3	14	9.8	..		
Bettiah	.	40	8	10.4	2	1	..	4	5.2	..		
Bhagalpur	.	133	17	6.6	6	24	9.4	..		
Bihar	.	70	18	13.4	5	1	..	10	7.4	..		
Chapra	.	72	39	28.2	2	2	13	9.4	4		
Darbhanga	.	98	25	13.3	2	6	3.2	..		
Dhanbad	.	48	15	16.2	1	..	1	5	5.4	..	
Dinapur	.	45	3	3.5	1	1	1	..	5	5.8	..	
Gaya	.	159	50	16.4	20	3	6	..	51	16.7	..	
Hazari bagh	.	42	6	7.4	5	6.2	2	
Jamalpur	.	48	9	9.7	1	1.1	..	
Jamshedpur	.	266	78	15.2	..	1	3	2	..	22	4.3	5	
Katihar	.	60	
Monghyr†	
Muzaffarpur	.	92	28	15.8	2	2	1	..	17	9.6	..	
Patna	.	371	64	9.0	..	2	..	3	1	25	3.5	..	
Ranichi	.	157	28	9.3	..	3	..	15	3	37	12.3	II	
TOTAL	.	1,775	404	11.8	2	12	..	61	15	10	2	239	7.0	22	
Bombay															
Delhi															
Kerala															
Madhya Pradesh															
Madras															
Ambur	.	48	42	45.5	1	..	3	..	5	5.4	..	
Arrupukottai	.	62	32	26.8	2	1	2	..	7	5.9	..	
Bodinayakanur†	
Chidambaram	.	43	32	38.7	1	2	..	1	13	15.7	2	
Coimbatore	.	267	306	59.6	1	15	10	1	98	19.1	29	
Cuddalore	.	76	50	34.2	1	1	10	6.8	2	
Dindigul	.	100	40	20.8	2	2	3	..	15	7.8	4	
Erode	.	77	62	41.9	1	1	3	..	12	8.1	1	
Gobichetipalayam	.	48	11	11.9	1	..	2	2.2	1	
Gudiyattam	.	58	24	21.5	5	12	10.8	4	
Kancheepuram	.	93	63	35.2	..	2	3	11	..	25	14.0	10	
Karaikudi	.	47	41	45.4	2	2	11	12.2	3	
Karur	.	57	34	31.0	1	2	..	9	8.2	1	
Kumtakonam	.	115	80	36.2	2	6	4	2	42	19.0	9	
Madras City	.	2,011	1,712	44.3	..	28	..	106	77	175	8	703	18.2	223	
Madurai†	
Mayuram	.	53	47	46.1	1	11	10.8	1	
Malapalayam	.	43	9	10.9	3	3.6	2	
Nagapattinam	.	62	49	41.1	3	2	3	..	15	12.6	6	
Nagercoil	.	109	55	26.2	1	4	10	4.8	3	
Ootacamund	.	53	42	41.2	3	..	13	12.8	2	
Palni	.	44	38	44.9	2	2	..	8	9.5	2	
Palayamkottai	.	48	57	61.8	3	2	14	15.2	5	
Periyakulam	.	35	26	38.6	5	7.4	2	
Pollachi	.	60	33	28.6	1	1	..	12	10.4	4	
Pudukottai	.	54	50	48.1	1	..	1	14	13.5	5	
Rajapalayam	.	74	37	26.0	2	2	2	1	15	10.5	6	
Salem	.	279	150	28.0	4	5	12	2	54	10.1	3	
Sriangam	.	46	43	48.6	1	..	2	..	9	10.2	1	
Srivilliputtur†	
Tanjore	.	133	88	34.4	2	3	6	3	34	13.3	..	
Tiruchirappalli	.	276	194	36.6	1	5	9	1	68	12.8	6	
Tirunelveli	.	84	65	40.2	1	1	7	..	29	18.0	6	

*In cases of towns where there has been an abnormal movement of population, it is likely that the population estimates may not be sufficiently reliable for calculating the birth and death rates.

† Figures not available.

Explanation of Symbols used :—B.=Births; B.R.=Birth Rate; C.=Cholera; S.=Smallpox; P.=Plague; F.=Fevers, D.D.=Dysentery and Diarrhea; R.D.=Respiratory Diseases; M.D.=Maternal Deaths; D.R.=Death Rate; I.D.=Infantile Deaths (included in total deaths); ..=Nil Information; "N.R."=Information not received.

Births and deaths from principal diseases in towns with a population of 30,000 and over in India for the week ending the 19th July, 1958—*contd.*

Deaths from:—

Town	Mid-year Popn. Est. (ooo)	B.	B.R.*	C.	S.	P.	F.	D.D.	R.D.	M.D.	Total	D.R.*	I.D.
Madras—<i>contd.</i>													
Tiruppur	73	49	34.9	5	..	6	4.3	2
Tiruvannamalai	47	32	35.4	3	..	7	7.7	2	2
Tuticorin	121	69	29.7	1	3	10	1	29	12.5	5
Vaniyambadi	45	23	26.6	2	2	1	..	8	9.2	1
Vellore	141	145	53.5	..	1	4	12	1	61	22.5	18
Villupuram	42	34	42.1	1	2	..	11	13.6	5
Virudhunagar	57	46	42.0	1	4	18	16.4	5
TOTAL	5,081	3,910	40.0	..	31	..	142	158	295	22	1,418	14.5	381
Mysore													
Bangalore	1,246	595	24.8	..	1	..	1	34	45	..	227	9.5	5
Mysore	347	197	29.5	5	2	2	..	33	4.9	3
Kolar Gold Fields	180	96	27.7	..	1	..	2	1	2	..	28	8.1	1
Bellary	83	90	56.4	1	4	6	1	26	16.3	3
Davangere	85	52	31.8	2	15	9.2	..
Shimoga	68	40	30.6	9	..	1	..	13	9.9	1
Bhadrapur†													
Hospet †													
Tumkur †													
Kolar†													
Chitaldrug													
Hassan†													
Bidar†													
Guiberga†													
Raichur†													
Belgaum													
Bijapur †													
Dharwar†													
Mangalore†													
Bagalkot													
Hubli†													
Gadag (Betigere)													
TOTAL	2,268	1,243	28.5	..	2	..	41	43	62	1	413	9.5	16
Orissa													
Behrampur	81	120	77.0	..	2	..	3	7	3	2	30	19.3	3
Cuttack	129	179	72.2	..	7	..	7	7	8	..	62	25.0	7
Puri	56	48	44.6	11	3	1	..	32	29.7	10
TOTAL	266	347	67.8	..	9	..	21	17	12	2	124	24.2	20
Pondicherry													
68	109	83.4	6	5	2	4	27	20.6	13
Punjab													
Ambala	62	38	32.0	7	3	2	..	15	12.6	2
Amritsar	359	320	46.5	2	10	21	..	64	9.3	15
Batala	66	44	34.8	5	2	2	1	16	12.6	5
Bhiwani	59	82	72.4	9	..	4	..	24	21.2	6
Ferozepore	47	31	34.4	2	1	1	..	5	5.5	1
Hissar	41	60	76.3	5	6.4	3
Hoshiarpur	54	29	28.0	4	11	10.6	1
Jullundur	230	169	38.3	7	2	3	..	15	3.4	4
Karnal	83	44	27.6	4	6	3.8	..
Ludhiana	194	200	53.7	6	..	7	..	18	4.8	15
Moga	45	26	30.1	4	7	8.1	..
Panipat	72	47	34.0	4	..	1	..	7	5.1	3
Pathankot	36	25	36.2	1	..	3	..	4	5.8	3
Rewari	40	19	24.8	2	..	2	..	6	7.8	1
Rohtak	96	70	37.9	7	1	1	..	14	7.6	5

*In cases of towns where there has been an abnormal movement of population, it is likely that the population estimates may not be sufficiently reliable for calculating the birth and death rates.

†Figures not available.

Explanation of Symbols used:—B.=Births; B.R.=Birth Rate; C.=Cholera; S.=Smallpox; P.=Plague; F.=Fever; D.D.=Dysentery and Diarrhoea; R.D.=Respiratory Diseases; M.D.=Maternal Deaths; D.R.=Death Rate; I.D.=Infantile Deaths (included in total deaths); ..=Nil information.

Births and deaths from principal diseases in towns with a population of 30,000 and over in India for the week ending the 19th July, 1958—*contd.*

Deaths from :—

Town	Mid-year Popn. Est. (000)	B.	B.R.*	C	S.	P.	F.	D.D.	R.D.	M.D.	Total	D.R.*	I.D.
Punjab—<i>contd.</i>													
Simla	53	37	36.4	1	1.0
Sonepat	36	41	59.3	4	..	2	9	13.0	2	..
Bhatinda	45	42	48.7	3	3.5
Malerkotla	35	41	61.1	3	3	4.5
Patiala	125	85	31.3	12	1	3	33	13.8	8	..
TOTAL	1,778	1,450	42.4	83	20	52	266	7.8	74	..
Rajasthan													
Uttar Pradesh													
Agra	404	230	29.6	..	1	..	7	7	45	87	11.2	22	..
Allahabad	372	157	22.0	..	1	..	1	1	35	76	10.6	16	..
Amroha	61	59	50.4	7	4	2	26	22.2	6	..
Bahraich	49	30	31.9	5	..	2	10	10.6	3	..
Banaras	416	304	38.1	39	..	11	156	19.5	26	..
Bandat†
Bareilly	206	65	16.4	7	..	6	25	6.3	5	..
Basti†
Ballia†
Bijnor†
Budaun	55	40	37.9	22	..	6	40	37.8	10	..
Bulandshahr†
Chandausi	44	45	53.2	6	2	3	23	27.2	5	..
Dehra Dun	186	61	17.1	9	2	5	31	8.7	8	..
Etawah†
Faizabad-Ayodhya	94	23	12.7	13	1	4	22	12.2
Farukhabad-Fatehgarh†
Firozabad	93	60	33.6	10	14	7.8	4	..
Ghazipur	35	23	34.2	8	8	11.9
Ghaziabad	68	35	26.8	5	2	..	13	10.0	8	..
Gonda	35	9	13.4	4	1	..	6	8.9	1	..
Gorakhpur	150	68	23.6	4	5	5	25	8.7	5	..
Hapur	65	41	32.9	12	..	2	22	17.6	9	..
Hardwar	73	21	15.0	4	9	6.4	1	..
Hathras	65	73	58.5	23	..	1	32	25.6	7	..
Jaunpur	59	20	17.7	..	3	..	3	..	3	15	13.2	1	..
Jhansi	132	114	45.0	16	1	..	24	9.5	6	..
Kanpur	810	348	22.4	..	3	..	125	..	73	282	18.1	178	..
Kasganj	34	8	12.3
Khurja	41	32	40.7	6	6	7.6	2	..
Koil-Aligarh	167	30	9.4	16	4	4	35	10.9	6	..
Lucknow	525	245	24.3	25	7	26	203	20.2	30	..
Mathura	118	148	65.4	29	..	5	44	19.4	10	..
Mau-Nath Bhanjan	39	25	33.4	5	3	..	11	14.7	6	..
Meerut	198	102	26.9	11	7	4	31	8.2	4	..
Mirzapur Vindhya Chal	100	45	23.5	17	..	3	31	16.2	4	..
Moradabad	165	125	39.5	12	2	12	42	13.3	7	..
Muzaffarnagar	81	43	27.7	..	1	..	9	18	11.6	7	..
Pilibhit†
Rampur†
Saharanpur	178	136	39.8	32	1	..	45	13.2	11	..
Sambhal†
Sitapur†
Shahjahanpur	112	68	31.6	17	1	3	32	14.9	5	..
TOTAL	5,230	2,833	28.2	..	9	..	509	51	260	6	1,444	14.4	413
West Bengal													
“N. R.”													

* In cases of towns where there has been an abnormal movement of population, it is likely that the population estimates may not be sufficiently reliable for calculating the birth and death rates.

† Figures not available.

Explanation of Symbols used:—B.=Births; B.R.=Birth Rate; C.=Cholera; S.=Smallpox, P.=Plague; F.=Fever; D.D.=Dysentery and Diarrhoea; R.D.=Respiratory Diseases; M.D.=Maternal Deaths; D.R.=Death Rate; I.D.=Infantile Deaths (included in total deaths); ..=Nil information; N.R.=Information not received.

Births and deaths from principal diseases in towns with a population of 30,000 and over in India for the week ending the 19th July, 1958—*contd.*

Deaths from :—

Town	Mid-year Popn. Est. (000)	B.	BR.*	C.	S.	P.	F.	DD.	RD.	M.D.	Total	D.R.*	I.D.
ARREAR INFORMATION													
Rajasthan													
<i>w/e 14-6-1958</i>													
Jaipur	419	75	9.3	45	1	9	..	98	12.2	46
Johipur	233	37	8.3	11	1	2	2	38	8.5	10
Udaipur	121	6	2.6	2	1	7	3.0	..
Ajmer†													
Bikaner†													
Kotah	83	8	5.0	5	1	10	6.3	1
Beawar†													
Ganganagar	65	8	6.4	..	1	..	4	..	1	..	7	5.6	2
Alwar	61	25	21.3	5	..	2	..	11	9.4	..
Sikar†													
Churu†													
Tonk	46	3	4.0	3	3	4.0	..
Bharatpur†													
TOTAL	1,028	162	8.2	..	1	..	75	3	14	3	174	8.8	59
<i>w/e 21-6-1958</i>													
Jaipur	419	124	15.3	46	2	11	..	111	13.8	39
Ajmer†													
Jodhpur†													
Udaipur†													
Bikaner†													
Kotah	117	47	20.9	4	1	5	..	22	9.8	4
	83	11	6.9	..	2	..	2	..	1	..	8	5.0	4
Beawar	65	16	12.8	6	1	2	..	13	10.4	..
Ganganagar	65	8	6.4	..	2	..	14	1	1	..	23	18.4	5
Alwar	61	21	17.9	3	1	1	..	16	13.6	5
Sikar†													
Churu†													
Tonk†													
Bhartpur	39	8	10.7	..	1	..	7	1	9	12.0	..
TOTAL	901	112	6.5	..	5	..	36	5	10	..	91	5.3	18
<i>w/e 5-7-1958</i>													
Jaipur†													
Ajmer†													
Jodhpur†													
Jaipur	244	101	21.5	13	..	9	..	40	8.5	2
Ajmer													
Jodhpur†													
Udaipur†													
Bikaner†													
Kotah	117	50	22.2	3	2	7	..	30	13.3	3
	83	6	3.8	..	1	1	..	8	5.0	..
Beawar	65	13	10.4	7	..	3	..	14	11.2	3
Ganganagar†													
Alwar	61	48	40.9	..	1	..	6	25	21.3	7
Sikar†													
Churu†													
Tonk†													
Bharatpur†													
TOTAL	622	221	18.5	..	2	..	30	2	20	..	120	10.0	15
<i>Supplementary Figures</i>													
<i>w/e 28-6-58</i>													
Udaipur	121	5	2.1	..	1	..	1	3	1.3	..
Ganganagar	65	4	3.2	..	1	..	8	14	11.2	3

*In cases of towns where there has been an abnormal movement of population, it is likely that the population estimates may not be sufficiently reliable for calculating the birth and death rates.

†Figures not available

Explanation of symbols used :—B.—Births; B.R.—Birth Rate; C.—Cholera; S.—Smallpox; P.—Plague; F.—Fevers; D.D.—Dysentery and Diarrhoea; R.D.—Respiratory Diseases; M.D.—Maternal Deaths; D.R.—Death Rate; I.D.—Infantile Deaths (included in total deaths); ..—Nil information.

Births and deaths from principal diseases in towns with a population of 30,000 and over in India for the week ending the 19th July, 1958—contd.

Deaths from :—

Town	Mid-year Popn-Est. (coo)	B.	B.R.*	C.	S.	P.	F.	D.D.	R.D.	M.D.	Total	D.R. *	I.D.
Andra Pradesh													
Adoni	72	54	39.0	1	1	3	..	11	7.9	1
Anantpur	42	34	42.1	1	1	6	7.4	1
Anakapalli	51	19	19.4	3	25	25.5	10
Bhimavaram	41	7	8.9	1	1	2	..	8	10.1	..
Chirala	48	29	31.4	6	13	14.1	1
Chittoor†													
Cuddapah	46	17	19.2	1	3	..	10	11.3	..
Ellore	108	35	16.8	2	1	2	..	31	14.9	5
Gudivada	40	25	32.5	2	..	1	1	7	9.1	1
Guntur	168	81	25.1	4	3	4	..	62	19.2	18
Gudtakal	43	13	15.7	4	..	2	..	12	14.5	1
Kakinada†													
Kurnool	74	55	38.7	5	4	..	27	19.0	5
Masulipatnam	95	46	25.2	2	..	5	..	21	11.5	4
Nandyal	40	18	23.4	1	3	2	1	18	23.4	3
Nellore	107	121	58.8	2	4	3	..	46	22.4	6
Proddatur	46	17	19.2	..	4	..	2	10	11.3	2
Rajahmundry	137	23	8.7	..	2	2	..	18	6.8	2
Tenali	76	61	41.7	5	..	5	2	24	16.4	5
Vijayawada	253	86	17.7	..	1	..	14	1	4	1	61	12.6	12
Visakhapatnam	148	89	31.2	..	3	..	16	13	23	..	87	30.5	13
Vizianagram	81	32	20.5	..	1	..	1	..	4	..	20	12.8	2
Hyderabad	1,291	260	10.4	2	2	..	15	1	34	..	177	7.1	13
Warrangal	173	30	9.0	10	..	8	..	28	8.4	..
Nizamabad	81	12	7.7	3	1	..	3	..	10	6.4	..
Kothagudiam†													
Secunderabad	192	106	28.5	1	1	..	1	3	8	2	34	9.2	6
TOTAL	3,453	1,270	19.1	6	15	..	91	40	122	8	766	11.5	111
Assam													
Gauhati	58	3	2.7	2	5	4.5	7
Shillong†													
Dibrugarh	54	2	1.9	1	1.0	..
Silchar†													
TOTAL	112	5	2.3	2	6	2.8	7
Bihar													
<i>w/e 7-6-1958</i>													
Arrah	74	4	2.8	4	1	1	..	8	5.6	..
Bettiah†													
Bhagalpur	133	16	6.3	1	4	24	9.4	..
Bihar	70	7	5.1	1	1	5	3.7	..
Chapra†													
Dharbhanga†													
Dhanbad†													
Dinapur	45	2	2.3	15	..	24	..	2	2.3	..
Gaya	159	32	10.5	2	24	..	62	20.3	..
Hazaribagh	42	13	16.1	1	1.3	..
Jamalpur	48	4	4.3	2	2.1	..
Jamshedpur	266	75	14.7	2	..	8	2	32	6.4	10
Kotihar	60
Monghyr†													
Mczaffarpur	92	26	14.7	2	..	3	..	22	12.4	..
Patna	371	57	7.9	..	1	..	5	1	3	..	34	4.7	..
Ranchi	157	12	3.9	..	3	..	18	4	36	11.9	5
TOTAL	1,517	248	8.5	2	5	..	50	8	39	2	228	7.8	15
Kerala													
<i>w/e 14-6-1958</i>													
Trivandrum	247	187	39.4	1	23	4.8	4
Changanacherry	44	43	50.8	9	10.6	1
Kottayam†													
Ernakulam	77	72	4.86	1	14	9.5	2
Mattancherry	94	26	1.44	17	9.4	2
Quilon	82	130	82.4	7	16	10.2	1
Trichur	80	34	22.1	20	13.0	1
Alleppey	195	60	16.0	10	2.7	1
Kozhikode	187	114	31.7	8	4	4	..	108	3.00	22

* In cases of towns where there has been an abnormal movement of population, it is likely that the population estimates may not be sufficiently reliable for calculating the birth and death rates.

†Figures not available.

Explanation of Symbols used :—B. = Births ; B. R. = Birth Rate ; C = Cholera ; S = Smallpox ; P = Plague ; F = Fevers ; D. D. = Dysentery and Diarrhoea ; R. D. = Respiratory Diseases ; M. D. = Maternal Deaths ; D. R. = Death Rate ; I. D. = Infantile Deaths (included in total deaths) ; .. = Nil information.

Births and deaths from principal diseases in towns with a population of 30,000 and over in India for the week ending the 19th July, 1958—concl.

Deaths from :—

Town	Mid.-year Popn. Est. (000)	B.	B.R.*	C.	S.	P.	F.	D.D.	R.D.	M.D.	Total	D.R.*	I.D.
Kerala—contd.													
<i>w/e 14-6-58</i>													
Palghat	82	87	55.2	6	7	41	26.0	5
Cannanore	49	36	38.2	3	16	17.0	..
Tellicherry†													
Cochin	33	31	48.9	2	13	20.5	6
TOTAL	1,170	820	36.4	20	20	4	1	287	12.8	45
<i>w/e 5-7-58</i>													
Alleppey †													
Changanacherry	44	46	54.4	1	1	6	7.1	..
Kottayam	55	36	34.0	1	1	6	5.7	1
Ernakulam	77	40	27.0	3	14	9.5	..
Mattancherry	94	34	18.8	2	19	10.5	3
Quilon	82	8	5.1	1	11	19	12.1	4
Trichur	80	23	15.0	3	1	11	7.2	3
Trivandrum	247	468	98.5	7	5	79	16.6	2
Kozhikode	187	276	76.8	20	6	..	1	115	32.0	20
Palghat	82	68	43.1	3	1	31	19.7	6
Cannanore	49	55	58.4	1	..	1	..	12	12.7	3
Tellicherry	43	48	58.1	1	3	1	18	21.8	2
Cochin	33	59	93.0	2	2	14	22.1	5
TOTAL	1,073	1,161	56.3	44	29	4	2	344	16.7	49
Madhya Pradesh													
<i>w/e 24-5-1958</i>													
Bilaspur†													
Burhanpur	85	69	42.2	..	11	..	24	44	26.9	..
Damoh†													
Jabalpur†													
Khandwa	64	24	19.5	..	1	..	4	9	7.3	..
Raipur†													
Murwara†													
Sagar†													
Chindwara	33	20	31.5	..	2	..	3	1	12	1	..
Raigarh†													
Itarsi	37	16	22.5	2	7	9.8	..
Greater Gwalior	297	58	10.2	2	..	3	2	14	2.5	..
Indore	423	110	13.5	..	3	..	11	2	105	12.9	18
Ratlam†													
Ujjain	183	50	14.2	9	2	35	9.9	13
Bhopal†													
Mandsaur†													
TOTAL	1,122	347	16.1	..	17	..	55	5	3	2	226	10.5	31
Madhya Pradesh													
<i>w/e 31-5-1958</i>													
Bilaspur†													
Burhanpur	85	59	36.1	..	5	..	31	3	3	..	45	27.5	..
Damoh†													
Jabalpur†													
Khandwa	64	19	15.4	..	1	..	9	15	12.2	..
Raipur†													
Murwara†													
Sagar†													
Chindwara†													
Raigarh†													
Itarsi	37	18	25.3	5	11	15.5	..
Greater Gwalior	297	102	17.9	..	1	5	..	1	1	29	5.1
Indore	423	135	16.6	..	6	..	10	3	8	1	96	11.8	35
Ratlam†													
Ujjain	183	54	15.3	14	43	11.9	12
Bhopal City†													
Mandsaur†													
TOTAL	1,089	287	13.7	..	13	..	69	6	12	2	238	11.4	48

*In cases of towns where there has been an abnormal movement of population, it is likely that the population estimates may not be sufficiently reliable for calculating the birth and death rates.

† Figures not available.

Explanation of Symbols used :—B.=Births ; B.R.=Birth Rate ; C.=Cholera ; S.=Smallpox ; P.=Plague ; F.=Fever ; D.D.=Dysentery and Diarrhoea ; R.D.=Respiratory Diseases ; M.D.=Maternal Deaths ; D.R.=Death Rate ; I.D.=Infantile Deaths (included in total deaths) ; ..=No information.

REMARKS

The figures of births and deaths shown in this statement for week ending the 19th July, 1958 relate to 120 towns from the States of Bihar, Madras, Mysore, Orissa, Pondicherry, Punjab and Uttar Pradesh with a population coverage of 16,465 thousands out of the total population of 46,461 in 320 towns of the country. The number of births and deaths recorded in these towns were 10,296 and 3,931 registering birth and death rates of 32.5 and 12.4 per thousand of population respectively.

The town of Budan, only in the State of Uttar Pradesh recorded a high death rate of 37.8 per thousand of population. The following table gives the registered rates for the different States:—

States	Current w/e 19-7-58		Corresponding w/e last year	
	B.R.	D.R.	B.R.	D.R.
Bihar	11.8	7.0	15.5	9.6
Madras	40.0	14.5	43.8	18.0
Mysore	28.5	9.5	25.7	16.5
Orissa	67.8	24.2	47.4	24.2
Pondicherry	83.4	20.6	52.0	21.1
Punjab	42.4	7.8	36.3	12.7
Uttar Pradesh	28.2	14.4	28.8	14.7
India	32.5	12.4	33.2	15.5

NEW DELHI-2 (INDIA); }
The 11th August, 1958. }

H. R. SHARMA,
for Registrar General, India.